

VISTA 2.0 CLASSIC/GRAND

THE AM SYSTEM WITH REMOTE SYSTEM MANAGEMENT




VISTA 2.0 CLASSIC
CA79L/F1

VISTA 2.0 GRAND
CA79X/F1



ADDING VALUE TO RETAIL

Remote system management allows retailers to manage their EAS antennas with remote tuning and real time system monitoring. The Vista antennas come in a high grade acrylic design in a standard size, but also in a design which has been developed for stores with wider aisles. Adding the standard visitor counter to this antenna makes the Vista 2.0 Classic/Grand the optimal security solution to improve store aesthetics and to boost sales.



FEATURES

- Remote system management**
 Remote antenna tuning, online device monitoring and management and online technical support
- Visitor counting**
 Making it easy to collect customer flow data
- Aesthetically pleasing design**
 Made from high-grade acrylic
- Superior performance**
 Consistent detection capabilities
 Higher noise immunity
- Easy installation with cost effectiveness**
 Built-in electronics within the base cover
 Increase work-efficiency
- Applicable for various store aisles**
 Up to 2.2m (7.2ft) detection distance
 Classic and Grand for your choice
 Applicable in various configurations.



Higher noise immunity



Interference sources like

- lightsources
- displays
- computers
- escalators

Dimensions

CA79L/F1
 Height: 1600mm / 63"
 Width: 400mm / 16"
 Depth: 130mm / 5"

CA79X/F1
 Height: 1600mm / 63"
 Width: 565mm / 22"
 Depth: 130mm / 5"



Aisle width

CA79L/F1: Up to 2.1m
 CA79X/F1: Up to 2.2m



Cental frequency
 58KHz

BASE




SPECIFICATIONS

Central Frequency	58KHz
Power Consumption	60W
Fuse of PSU	2.0A
Current(max.)	0.26@230V, 0.5A@120V
Voltage	110V/220V
Weight	CA79L/FIC: 25.4kg CA79L/FIS: 24.1kg CA79X/FIC: 32.2kg CA79X/FIS: 31kg
Material	Acrylic
Alarm Volume	0-130dB
Application Guide	Fashion Stores

PRODUCT CODES

Name	Code	Description	Remark
VISTA 2.0 Classic	CA79L/F1	Antenna Frame	Frame with antenna coils, without electronics
	CA79L/FIC	Master Antenna, incl. power cable	Stand-alone
	CA79L/FIS	Slave Antenna, incl. cable kit	Works with CA79L/FIC
VISTA 2.0 Grand	CA79X/F1	Antenna Frame	Frame with antenna coils, without electronics
	CA79X/FIC	Master Antenna, incl. power cable	Stand-alone
	CA79X/FIS	Slave Antenna, incl. cable kit	Works with CA79X/FIC

SYSTEM CONFIGURATION



⌀ Measured with AM label
 Ⓢ Measured with AM hard tag (33mm ferrite)
 Detection range varies depending on quality of power source and tuning, level of noise and quality of tags and labels.